Brain Research, 72 (1996) 197–198
© 1996 Elsevier Science B.V.

Author Index

Alamy, M., Pons, J.-C., Gambarelli, D. and Trouche, E.
A defective control of small-amplitude movements in monkeys with globus pallidus lesions: an experimental study on one component of pallidal bradykinesia, 57
Asada, H., see Sakai, N., 83

Best, P.J., see Vargo, J.M., 39
Boussaoud, D., Pellegrino, G.d. and Wise, S.P.
Frontal lobe mechanisms subserving vision-for-action versus vision-for-perception, 1
Bromberg, B.B., see Vargo, J.M., 39
Bures, J., see Rashidy-Pour, A., 185

Caston, J., Delhaye-Bouchaud, N. and Mariani, J.
Motor behavior of heterozygous staggerer mutant (+/*sg*) versus normal (+/+) mice during aging, 97
Cervós Navarro, J., see Sharma, H.S., 189
Chakrabarti, A., see Onaivi, E.S., 115
Chaudhuri, G., see Onaivi, E.S., 115
Coll-Andreu, M., see Gruart-Masso, A., 181
Coover, G.D., see Meyer, R.C., 157
Corwin, J.V., see Vargo, J.M., 39

Davies, D.C., see Lowndes, M., 25
Decety, J. and Jeannerod, M.
Mentally simulated movements in virtual reality: does Fitts's law hold in motor imagery?, 127
Delhaye-Bouchaud, N., see Caston, J., 97
Dey, P.K., see Sharma, H.S., 189

Feldon, J., see Weiner, I., 73
Furukawa, S., see Nitta, A., 49

Gambarelli, D., see Alamy, M., 57
Gruart-Masso, A., Nadal-Alemany, R., Coll-Andreu, M., Portell-Cortès, I. and Martí-Nicolovius, M.
Effects of pretraining paradoxical sleep deprivation upon two-way active avoidance, 181
Gwebu, E.T., see Onaivi, E.S., 115

Hasegawa, T., see Nitta, A., 49
Hejna, M.J., see Sigurdsson, E.M., 141
Hertel, P., Mathé, J.M., Nomikos, G.G., Iurlo, M., Mathé, A.A. and Svensson, T.H.
Effects of D-amphetamine and phencyclidine on behavior and extracellular concentrations of neurotensin and dopamine in the ventral striatum and the medial prefrontal cortex of the rat, 103
Hol, T., see Vanderschuren, L.J.M.J., 89

Ishibashi, K., see Nitta, A., 49
Iurlo, M., see Hertel, P., 103

Jeannerod, M., see Decety, J., 127

Lee, J.M., see Sigurdsson, E.M., 141
Lorens, S.A., see Sigurdsson, E.M., 141
Lowndes, M. and Davies, D.C.
The effect of archistriatal lesions on 'open field' and fear/avoidance behaviour in the domestic chick, 25

Mariani, J., see Caston, J., 97
Marshall, J.F., see Vargo, J.M., 39
Martí-Nicolovius, M., see Gruart-Masso, A., 181
Mathé, A.A., see Hertel, P., 103
Mathé, J.M., see Hertel, P., 103
Mei, N., see Trub, M., 33
Meyer, R.C. and Coover, G.D.
Double dissociation of passive avoidance and milk maze performance deficits with discrete lesions of substantia innominata or globus pallidus of rats, 157
Miura, Y., see Sakai, N., 83
Motaghed-Larijani, Z., see Rashidy-Pour, A., 185

Nabeshima, T., see Nitta, A., 49
Nadal-Alemany, R., see Gruart-Masso, A., 181
Naruhashi, K., see Nitta, A., 49
Niesink, R.J.M., see Vanderschuren, L.J.M.J., 89
Nitta, A., Naruhashi, K., Umemura, M., Hasegawa, T., Furukawa, S., Sekiguchi, F., Ishibashi, K. and Nabeshima, T.
Age-related changes in learning and memory and cholinergic neuronal function in senescence accelerated mice (SAM), 49
Nomikos, G.G., see Hertel, P., 103
Nyberg, F., see Sharma, H.S., 189

Onaivi, E.S., Chakrabarti, A., Gwebu, E.T. and Chaudhuri, G.
Neurobehavioral effects of Δ^9-THC and cannabinoid (CB1) receptor gene expression in mice, 115
Onodera, K., see Sakai, N., 83
Oreland, L., see Sherif, F., 135
Orofino, J., see Trub, M., 33

Pellegrino, G.d., see Boussaoud, D., 1
Pons, J.-C., see Alamy, M., 57
Portell-Cortès, I., see Gruart-Masso, A., 181

Rashidy-Pour, A., Motaghed-Larijani, Z. and Bures, J.
Reversible inactivation of the medial septal area impairs consolidation but not retrieval of passive avoidance learning in rats, 185
Romaniuk, A., see Strzelczuk, M., 63

Sakai, N., Sakurai, E., Onodera, K., Sakurai, E., Asada, H., Miura, Y. and Watanabe, T.
Long-term depletion of brain histamine induced by α-fluoromethylhistidine increases feeding-associated locomotor activity in mice with a modulation of brain amino acid levels, 83
Sakurai, E., see Sakai, N., 83
Sekiguchi, F., see Nitta, A., 49
Sharma, H.S., Westman, J., Cervós Navarro, J., Dey, P.K. and Nyberg, F.
Probable involvement of serotonin in the increased permeability of the blood–brain barrier by forced swimming. An experimental study using Evans blue and ^{131}I-sodium tracers in the rat, 189
Sherif, F. and Oreland, L.
Effect of the GABA-transaminase inhibitor vigabatrin on exploratory behaviour in socially isolated rats, 135
Sigurdsson, E.M., Hejna, M.J., Lee, J.M. and Lorens, S.A.
β-Amyloid 25-35 and/or quinolinic acid injections into the

basal forebrain of young male Fischer-344 rats: Behavioral, neurochemical and histological effects, 141
Spruijt, B.M., see Vanderschuren, L.J.M.J., 89
Strzelczuk, M. and Romaniuk, A.
Fear induced by the blockade of $GABA_A$-ergic transmission in the hypothalamus of the cat: behavioral and neurochemical study, 63
Svensson, T.H., see Hertel, P., 103

Tarrasch, R., see Weiner, I., 73
Trouche, E., see Alamy, M., 57
Trub, M., Mei, N. and Orofino, J.
Periodontal and gastric convergences within the hypothalamic ventromedial nucleus area — single unit study on anesthetized rats, 33

Umemura, M., see Nitta, A., 49

Vanderschuren, L.J.M.J., Spruijt, B.M., Hol, T., Niesink, R.J.M. and Van Ree, J.M.
Sequential analysis of social play behavior in juvenile rats: effects of morphine, 89
Van Ree, J.M., see Vanderschuren, L.J.M.J., 89
Vargo, J.M., Bromberg, B.B., Best, P.J., Corwin, J.V. and Marshall, J.F.
D-class dopamine receptor involvement in the behavioral recovery from prefrontal cortical injury, 39

Watanabe, T., see Sakai, N., 83
Weiner, I., Tarrasch, R. and Feldon, J.
Basolateral amygdala lesions do not disrupt latent inhibition, 73
Wenk, G.L.
Neuroprotection and selective vulnerability of neurons within the nucleus basalis magnocellularis, 17
Westman, J., see Sharma, H.S., 189
Wise, S.P., see Boussaoud, D., 1